




CABLE PROTECTION PRODUCTS


CABLE PROTECTION

- Split Loom Tubing.....24
- Non-Split Loom Tubing.....24
- Spiral Wrapping.....25
- Pigs Tail.....25



CABLE PROTECTION

Cable protection products are designed for protecting cables using split loom, spiral wrap or pigs tail and are available in a range of sizes. KT split loom is a flexible split conduit made of polypropylene. Spiral wrap and split loom are manufactured in black, while pigs tail is available in a wide range of colours. UV resistant spiral wrap and pigs tail, wrap around and protect wires and cables with a thick polyethylene material, helping maintain a safe and hassle free environment.



SPLIT LOOM TUBING

PART NO.	ROLL SIZE	COLOUR	I.D MM	O.D MM
KTSL7/3M	3M	BLACK	7	10.4
KTSL7/10M	10M	BLACK	7	10.4
KTSL7/50M	50M	BLACK	7	10.4
KTSL7/400M	400M	BLACK	7	10.4
KTSL10/3M	3M	BLACK	9.7	12.8
KTSL10/10M	10M	BLACK	9.7	12.8
KTSL10/30M	30M	BLACK	9.7	12.8
KTSL10/250M	250M	BLACK	9.7	12.8
KTSL13/3M	3M	BLACK	12.6	15.7
KTSL13/10M	10M	BLACK	12.6	15.7
KTSL13/30M	30M	BLACK	12.6	15.7
KTSL13/150M	150M	BLACK	12.6	15.7
KTSL16/3M	3M	BLACK	16.3	20.9
KTSL16/10M	10M	BLACK	16.3	20.9
KTSL16/30M	30M	BLACK	16.3	20.9
KTSL16/100M	100M	BLACK	16.3	20.9
KTSL20/10M	10M	BLACK	21.1	25.2
KTSL20/30M	30M	BLACK	21.1	25.2
KTSL20/100M	100M	BLACK	21.1	25.2
KTSL23/50M	50M	BLACK	23	27
KTSL29/10M	10M	BLACK	29	33
KTSL29/30M	30M	BLACK	29	33
KTSL29/50M	50M	BLACK	29	33
KTSL36/25M	25M	BLACK	36	42
KTSL48/25M	25M	BLACK	48	54

Note: Split Loom retail packs are available in 7mm, 10mm, 13mm and 16mm and up to 3M in each pack.

NON-SPLIT LOOM TUBING

PART NO.	ROLL SIZE	COLOUR	I.D MM	O.D MM
KTSL10/250N	250M	BLACK	9.7	12.8
KTSL13/150N	150M	BLACK	12.6	15.7
KTSL16/100N	100M	BLACK	16.3	20.9
KTSL20/100N	100M	BLACK	21.1	25.2
KTSL48/25N	25M	BLACK	48	54

NOTE: Bulk rolls of split loom are provided on a cardboard spool for easy storing

DESCRIPTION: Corrugated polypropylene tubing designed for flexible protection in general applications


TEMPERATURE RATINGS:

Minimum continuous operating temperature -20°C

Maximum continuous operating temperature +90°C

NOTE:

Split Loom Tools available on page 120



SPIRAL WRAPPING



PART NO.	SIZE	COLOUR	I.D MM	O.D MM	LENGTHS AVAILABLE
KTSW3	3MM	NATURAL	1.5	3.0	10M
KTSW3/50	3MM	NATURAL	1.5	3.0	50M
KTSW3B	3MM	BLACK	1.5	3.0	10M
KTSW3B/50	3MM	BLACK	1.5	3.0	50M
KTSW6	6MM	NATURAL	4.0	6.0	10M
KTSW6/50	6MM	NATURAL	4.0	6.0	50M
KTSW6B	6MM	BLACK	4.0	6.0	10M
KTSW6B/50	6MM	BLACK	4.0	6.0	50M
KTSW8	8MM	NATURAL	6.0	8.0	10M
KTSW8B	8MM	BLACK	6.0	8.0	10M
KTSW8/50	8MM	NATURAL	6.0	8.0	50M
KTSW8B/50	8MM	BLACK	6.0	8.0	50M
KTSW10	10MM	NATURAL	7.5	10.0	10M
KTSW10B	10MM	BLACK	7.5	10.0	10M
KTSW12	12MM	NATURAL	9.0	12.0	10M
KTSW12/25	12MM	NATURAL	9.0	12.0	25M
KTSW12/50	12MM	NATURAL	9.0	12.0	50M
KTSW12B	12MM	BLACK	9.0	12.0	10M
KTSW12B/25	12MM	BLACK	9.0	12.0	25M
KTSW12B/50	12MM	BLACK	9.0	12.0	50M
KTSW15	15MM	NATURAL	12.0	15.0	10M
KTSW15B	15MM	BLACK	12.0	15.0	10M
KTSW19	19MM	NATURAL	15.0	19.0	10M
KTSW19B	19MM	BLACK	15.0	19.0	10M
KTSW24	24MM	NATURAL	20.0	24.0	10M
KTSW24B	24MM	BLACK	20.0	24.0	10M

PIGS TAIL



PART NO.	ROLL SIZE	COLOUR	I.D MM	O.D MM	WALL MM
KTPIGB12	50M	BLACK	9.5MM	12.5MM	1.5MM
KTPIGB16	20M	BLACK	12.5MM	16.0MM	1.75MM
KTPIGB20	20M	BLACK	16.0MM	20.0MM	2.0MM
KTPIGB25	20M	BLACK	21.0MM	25.0MM	2.0MM
KTPIGB32	20M	BLACK	27.0MM	32.0MM	2.5MM
KTPIGB40	20M	BLACK	34.0MM	40.0MM	3.0MM
KTPIGB50	20M	BLACK	44.0MM	50.0MM	3.0MM
KTPIGB63	20M	BLACK	55.0MM	63.0MM	4.0MM
KTPIGB75	20M	BLACK	66.0MM	75.0MM	4.5MM
KTPIGB90	20M	BLACK	79.0MM	90.0MM	5.5MM
KTPIGB110	20M	BLACK	99.0MM	110.0MM	5.5MM

Pigs Tail is made from a high density polyethylene that is practical, quick and simple to fit and is suitable for the protection of hydraulic gas and air hose, welding leads and electrical leads. Pigs tail has good resistance to U.V. and a maximum working temperature +70 degrees. **The Standard colour is black but is also available in Red, Blue, Yellow and an Antistatic Fire Resistant material on special request.**