

FUSE & FUSE HOLDERS

Fuses are designed to protect electrical devices from a power spike whilst fuse holders connect a fuse into a circuit. KT offers a range of blade fuses in maxi, regular and mini sizes. They come in a selection of amperages to suit your requirements. An extensive range of fuse holders to connect any fuse to a circuit are also available including heavy duty, waterproof, in-line etc. Fuse links are heavy duty and are made to suit a variety of engines.

FUSES

BLADE FUSES



PART NO.	TYPE	AMP RATING	PKT QTY
KTBF1	BLACK	1 AMP	100
KTBF2	GREY	2 AMP	100
KTBF3	PINK	3 AMP	100
KTBF3/S	PINK	3 AMP	5
KTBF5	ORANGE	5 AMP	100
KTBF5/S	ORANGE	5 AMP	5
KTBF7.5	BROWN	7.5 AMP	100
KTBF7.5/S	BROWN	7.5 AMP	5
KTBF10	RED	10 AMP	100
KTBF10/S	RED	10 AMP	5
KTBF15	BLUE	15 AMP	100
KTBF15/S	BLUE	15 AMP	5
KTBF20	YELLOW	20 AMP	100
KTBF20/S	YELLOW	20 AMP	5
KTBF25	CLEAR	25 AMP	100
KTBF25/S	CLEAR	25 AMP	5
KTBF30	GREEN	30 AMP	100
KTBF30/S	GREEN	30 AMP	5
KTBF35	PURPLE	35 AMP	100
KTBF35/S	PURPLE	35 AMP	5

MICRO FUSES

PART NO.	TYPE	AMP RATING	PKT QTY
KTBLF5	ORANGE	5 AMP	20
KTBLF5/S	ORANGE	5 AMP	5
KTBLF7.5	BROWN	7.5 AMP	20
KTBLF7.5/S	BROWN	7.5 AMP	5
KTBLF10	RED	10 AMP	20
KTBLF10/S	RED	10 AMP	5
KTBLF15	BLUE	15 AMP	20
KTBLF15/S	BLUE	15 AMP	5
KTBLF20	YELLOW	20 AMP	20
KTBLF20/S	YELLOW	20 AMP	5
KTBLF25	CLEAR	25 AMP	20
KTBLF25/S	CLEAR	25 AMP	5
KTBLF30	GREEN	30 AMP	20
KTBLF30/S	GREEN	30 AMP	5



MICRO FUSE CARDS



PART NO.	TYPE	PKT QTY
KTBFCL1	MICRO FUSE CARD 5 TO 30AMP & FUSE PULLER	10

MINI BLADE FUSES

PART NO.	TYPE	AMP RATING	PKT QTY
KTBFM2	GREY	2 AMP	100
KTBFM2/S	GREY	2 AMP	5
KTBFM3	PINK	3 AMP	100
KTBFM3/S	PINK	3 AMP	5
KTBFM5	ORANGE	5 AMP	100
KTBFM5/S	ORANGE	5 AMP	5
KTBFM7.5	BROWN	7.5 AMP	100
KTBFM7.5/S	BROWN	7.5 AMP	5
KTBFM10	RED	10 AMP	100
KTBFM10/S	RED	10 AMP	5
KTBFM15	BLUE	15 AMP	100
KTBFM15/S	BLUE	15 AMP	5
KTBFM20	YELLOW	20 AMP	100
KTBFM20/S	YELLOW	20 AMP	5
KTBFM25	CLEAR	25 AMP	100
KTBFM25/S	CLEAR	25 AMP	5
KTBFM30	GREEN	30 AMP	100
KTBFM30/S	GREEN	30 AMP	5
KTBFM35	PURPLE	35 AMP	100
KTBFM35/S	PURPLE	35 AMP	5



MAXI BLADE FUSES

PART NO.	TYPE	AMP RATING	PKT QTY
KTMBF20	YELLOW	20 AMP	10
KTMBF30	GREEN	30 AMP	10
KTMBF40	ORANGE	40 AMP	10
KTMBF50	RED	50 AMP	10
KTMBF60	BLUE	60 AMP	10
KTMBF70	BROWN	70 AMP	10
KTMBF80	CLEAR	80 AMP	10
KTMBF100	PINK	100 AMP	10



GLASS FUSES

PART NO.	TYPE	AMP RATING	PKT QTY
KTGF1	3AG GLASS	1 AMP	100
KTGF1/S	3AG GLASS	1 AMP	5
KTGF2	3AG GLASS	2 AMP	100
KTGF2/S	3AG GLASS	2 AMP	5
KTGF3	3AG GLASS	3 AMP	100
KTGF3/S	3AG GLASS	3 AMP	5
KTGF5	3AG GLASS	5 AMP	100
KTGF5/S	3AG GLASS	5 AMP	5
KTGF7.5	3AG GLASS	7.5 AMP	100
KTGF7.5/S	3AG GLASS	7.5 AMP	5
KTGF10	3AG GLASS	10 AMP	100
KTGF10/S	3AG GLASS	10 AMP	5
KTGF15	3AG GLASS	15 AMP	100
KTGF15/S	3AG GLASS	15 AMP	5
KTGF20	3AG GLASS	20 AMP	100
KTGF20/S	3AG GLASS	20 AMP	5
KTGF25	3AG GLASS	25 AMP	100
KTGF25/S	3AG GLASS	25 AMP	5
KTGF30	3AG GLASS	30 AMP	100
KTGF30/S	3AG GLASS	30 AMP	5
KTGF35	3AG GLASS	35 AMP	100
KTGF35/S	3AG GLASS	35 AMP	5

NOTE: Glass fuses are soldered internally on end caps



FUSE & FUSE HOLDERS

BLOW OUT FUSES

PART NO.	TYPE	PKT QTY
KTBFBC1	BLOW OUT FUSE CARD 3 TO 15 AMP	10
KTBFBC2	BLOW OUT FUSE CARD 15 TO 35 AMP	10



CERAMIC FUSES



PART NO.	TYPE	AMP RATING	PKT QTY
KTCF5	YELLOW	5 AMP	100
KTCF8	WHITE	8 AMP	100
KTCF16	RED	16 AMP	100
KTCF25	BLUE	25 AMP	100

FUSE LINKS

FUSE LINK - MALE

PART NO.	DESCRIPTION	COLOUR	PKT QTY
KTFLM20	FUSE LINK MALE 20A	WHITE	10
KTFLM30	FUSE LINK MALE 30A	PINK	10
KTFLM40	FUSE LINK MALE 40A	GREEN	10
KTFLM50	FUSE LINK MALE 50A	RED	10
KTFLM60	FUSE LINK MALE 60A	YELLOW	10
KTFLM80	FUSE LINK MALE 80A	BLACK	10
KTFLM100	FUSE LINK MALE 100A	BLUE	10



FUSE LINK - FEMALE



PART NO.	DESCRIPTION	COLOUR	PKT QTY
KTFLF20	FUSE LINK FEMALE 20A	WHITE	10
KTFLF30	FUSE LINK FEMALE 30A	PINK	10
KTFLF40	FUSE LINK FEMALE 40A	GREEN	10
KTFLF50	FUSE LINK FEMALE 50A	RED	10
KTFLF60	FUSE LINK FEMALE 60A	YELLOW	10
KTFLF80	FUSE LINK FEMALE 80A	BLACK	10
KTFLF100	FUSE LINK FEMALE 100A	BLUE	10

FUSE HOLDERS



KTGFHLD
**LIGHT DUTY
 GLASS FUSE HOLDER**
 MATERIAL: P.P
 CABLE LENGTH: 203MM
 CABLE: 3MM²



KTGFH/NO
GLASS FUSE HOLDER
 MATERIAL: BAKELITE



KTGFHHD
**HEAVY DUTY
 GLASS FUSE HOLDER**
 MATERIAL: BAKELITE
 CABLE LENGTH: 203MM
 CABLE: 6MM²



KTGFH

GLASS FUSE HOLDER

MATERIAL: BAKELITE
CABLE LENGTH: 203MM
CABLE: 4MM²



KTGFH-R

**GLASS FUSE HOLDER
WATER RESISTANT**

MATERIAL: PVC
CABLE LENGTH: 300MM
CABLE: 4MM²



KTIGFH

**INLINE GLASS
FUSE HOLDER**

CABLE: 1MM² TO 6MM²



KTPMFH-12A

**PANEL MOUNT GLASS
FUSE HOLDER**

10AMP 250V
6.35ML X 32ML FUSES



KTMBFH

**MINI BLADE FUSE
HOLDER
WATER RESISTANT**

MATERIAL: PVC
CABLE LENGTH: 300MM
CABLE: 4MM²



KT20020

**LED MINI BLADE
FUSE HOLDER
WATER RESISTANT**

LED CIRCUIT INDICATOR
CABLE LENGTH: 300MM
CABLE: 4MM²



KTBFHWR

**BLADE FUSE HOLDER
WATER RESISTANT**

MATERIAL: PVC
CABLE LENGTH: 300MM



KT20021

**LED STANDARD BLADE
FUSE HOLDER WATER
RESISTANT**

LED CIRCUIT INDICATOR
CABLE LENGTH: 300MM
CABLE: 4MM²



KTBFHWPI

**WATERPROOF BLADE
FUSE HOLDER**

CABLE LENGTH: 135MM
CABLE 4MM²



KTBFHWP

**BLADE FUSE HOLDER
WATERPROOF**

CABLE: 4MM



KTIBFH

**INLINE BLADE
FUSE HOLDER**

CABLE: 1MM² TO 6MM²



KT20022

**LED MAXI BLADE
FUSE HOLDER
WATER RESISTANT**

LED CIRCUIT INDICATOR
CABLE LENGTH: 300MM
CABLE: 10MM²



KTMBFH

**MAXI BLADE
FUSE HOLDER**

MATERIAL: PVC
CABLE LENGTH: 300MM
CABLE: 8MM²



KTIFH63

INLINE FUSE HOLDER

CABLE: 6.3MM


FUSE & FUSE HOLDERS

STANDARD BLADE FUSE BOX

PART NO.	FUSE TYPE	NO. FUSES	PKT QTY
KT4WFB	BLADE	4	1
KT6WFB	BLADE	6	1
KT8WFB	BLADE	8	1



MINI BLADE FUSE BOX



PART NO.	FUSE TYPE	NO. FUSES	PKT QTY
KT4WFBM	MINI BLADE	4	1
KT6WFBM	MINI BLADE	6	1

NOTE: Amperage rating 30A connects with 6.3mm female terminal

SINGLE POWER POLE BLADE FUSE BLOCKS

PART NO.	FUSE TYPE	NO. FUSES	PKT QTY
KT6WFB-S	BLADE	6	1
KT8WFB-S	BLADE	8	1
KT10WFB-S	BLADE	10	1



Single power pole blade fuse blocks - Single power in terminal.
Amperage rating 25A per circuit at 12V 150A max per block