



TERMINALS


TOOLS

DISPLAY STANDS

- Pre-Insulated.....100-104
- Un-Insulated.....105-106
- Heavy Duty.....107-108
- Low Voltage.....109
- Housing Connectors.....109-111
- Waterproof.....112-113

TAPE

TERMINALS & CONNECTORS



TERMINALS PRE-INSULATED

The wide range of KT pre-insulated and un-insulated terminals available include waterproof, fork, ring, butt splices, pin terminals, flat terminals, piggy back, knife connects and bootlace ferrules. They come in standard, double grip and are perfect for low voltage connecting jobs. KT crimp terminals are UL approved to ensure optimal quality. Red suits 1.5 - 2.5mm² cables, blue suits 2.5 - 4mm² cables, and yellow suits 4mm² - 6mm cable. See tools section for corresponding tools.

RING TERMINALS

PART NO.	COLOUR	STUD SIZE MM	PKT QTY
KTRRS3	RED	3.0	100
KTRRS3.5	RED	3.5	100
KTRRS4	RED	4.0	100
KTRRS5	RED	5.0	100
KTRRS6	RED	6.0	100
KTRRS8	RED	8.0	100
KTRRS10	RED	10.0	100
KTBR3	BLUE	3.0	100
KTBR3.5	BLUE	3.5	100
KTBR4	BLUE	4.0	100
KTBR5	BLUE	5.0	100
KTBR6	BLUE	6.0	100
KTBR8	BLUE	8.0	100
KTBR10	BLUE	10.0	100
KTBR13	BLUE	13.0	100
KTYRS4	YELLOW	4.0	100
KTYRS5	YELLOW	5.0	100
KTYRS6	YELLOW	6.0	100
KTYRS8	YELLOW	8.0	100
KTYRS10	YELLOW	10.0	100
KTYRS13	YELLOW	13.0	100



NOTE: Crimp terminal connectors are UL Approved E135628
Available in standard, double-grip & easy entry



PIN TERMINALS

PART NO.	COLOUR	WIDTH MM	PKT QTY
KTRPS	RED	1.9	100
KTBPS	BLUE	1.9	100
KTYPS	YELLOW	2.6	100

Note: KTYT7 & KTYT7-ULT crimpers are used for crimping pre-insulated terminals

FORK TERMINALS

PART NO.	COLOUR	STUD SIZE MM	PKT QTY
KTRFS3	RED	3.2	100
KTRFS4	RED	4.2	100
KTRFS5	RED	5.3	100
KTBFS3	BLUE	3.2	100
KTBFS4	BLUE	4.2	100
KTBFS5	BLUE	5.3	100
KTYFS4	YELLOW	4.2	100
KTYFS5	YELLOW	5.3	100
KTYFS6	YELLOW	6.4	100

Available in double-grip & easy entry



FLAT BLADE TERMINALS

PART NO.	COLOUR	WIDTH MM	PKT QTY
KTRBLS	RED	2.3	100
KTBBLS	BLUE	2.3	100



PIGGY BACK TERMINALS

PART NO.	COLOUR	WIDTH MM	PKT QTY
KTRPB	RED	6.3	100
KTBPB	BLUE	6.3	100
KTYPB	YELLOW	6.3	100



FULLY INSULATED MALE

PART NO.	COLOUR	WIDTH MM	PKT QTY
KTRQMU63	RED	6.3	100
KTBMU63	BLUE	6.3	100
KTYQMU63	YELLOW	6.3	100



BUTT SPLICES

PART NO.	COLOUR	WIDTH MM	PKT QTY
KTRBS	RED	24.1	100
KTBBS	BLUE	24.3	100
KTYBS	YELLOW	26.6	100



TERMINALS PRE-INSULATED

SEAMLESS BUTT SPLICES

PART NO.	COLOUR	WIDTH MM	PKT QTY
KTRBSST	RED	24.1	100
KTBSST	BLUE	24.3	100
KTYBSST	YELLOW	26.6	100



PRE-INSULATED MALE

PART NO.	COLOUR	TAB WIDTH	PKT QTY
KTRQM28	RED	2.8MM	100
KTRQM48	RED	4.8MM	100
KTRQM63	RED	6.3MM	100
KTBMQ28	BLUE	2.8MM	100
KTBMQ48	BLUE	4.8MM	100
KTBMQ63	BLUE	6.3MM	100
KTYQM63	YELLOW	6.3MM	100



NOTE: Red suits 1.5 - 2.5mm² cable, blue suits 2.5 - 4mm² cable, yellow suits 4mm² - 6mm cable
NOTE: The KTYTY7 or KTYTY7-ULT are used for crimping these terminals

PRE-INSULATED FEMALE

PART NO.	COLOUR	TAB WIDTH	PKT QTY
KTRQFM28	RED	2.8MM	100
KTRQFM48	RED	4.8MM	100
KTRQFM63	RED	6.3MM	100
KTBFQM28	BLUE	2.8MM	100
KTBFQM48	BLUE	4.8MM	100
KTBFQM63	BLUE	6.3MM	100
KTBFQM96	BLUE	9.6MM	100
KTYQFM63	YELLOW	6.3MM	100
KTYQFM96	YELLOW	9.6MM	100



NYLON BUTT SPLICES

PART NO.	COLOUR	LENGTH MM	PKT QTY
KTRBSSTN	RED	31.1	100
KTBSSTN	BLUE	31.1	100
KTYBSSTN	YELLOW	40.8	100



TERMINALS

BATTERY ACC

AUTOMOTIVE CABLE

TAPE

TRAILER PLUGS

SWITCHES

HEAT SHRINK

SUPPORTS

FUSE HOLDERS

FULLY INSULATED FEMALE - Transparent Nylon

PART NO.	COLOUR	TAB WIDTH MM	PKT QTY
KTRQFU28N	RED	2.8	100
KTRQFU48N	RED	4.8	100
KTRQFU63N	RED	6.3	100
KTBFU28N	BLUE	2.8	100
KTBFU48N	BLUE	4.8	100
KTBFU63N	BLUE	6.3	100
KTYQFU63N	YELLOW	6.3	100
KTYQFU96N	YELLOW	9.4	100



FULLY INSULATED FEMALE - Vinyl

PART NO.	COLOUR	TAB WIDTH MM	PKT QTY
KTRQFU28	RED	2.8	100
KTRQFU48	RED	4.8	100
KTRQFU63	RED	6.3	100
KTBFU28	BLUE	2.8	100
KTBFU48	BLUE	4.8	100
KTBFU63	BLUE	6.3	100
KTYQFU63	YELLOW	6.3	100
KTYQFU96	YELLOW	9.4	100



KNIFE DISCONNECTS

PART NO.	COLOUR	LENGTH MM	PKT QTY
KTKCR	RED	21.9	100
KTKCB	BLUE	23.4	100
KTKCY	YELLOW	31.2	50

AIRCRAFT APPROVED



END SPLICE

PART NO.	COLOUR	WIRE SIZE MM	PKT QTY
KTES1	OPAQUE	0.5 - 1.0	100
KTES2	OPAQUE	1.5 - 2.5	100
KTES5	OPAQUE	4.6 - 10	100
KTES8	OPAQUE	10	100



TERMINALS PRE-INSULATED

TERMINALS

BATTERY ACC
AUTOMOTIVE CABLE
TAPE
TRAILER PLUGS
SWITCHES
HEAT SHRINK
SUPPORTS
FUSE & FUSE HOLDERS

BULLET MALE

PART NO.	COLOUR	PKT QTY
KTRBM	RED	100
KTBBM	BLUE	100
KTYBM	YELLOW	100



BULLET FEMALE

PART NO.	COLOUR	PKT QTY
KTRBFM	RED	100
KTBBFM	BLUE	100
KTYBFM	YELLOW	100



POWER TAKE OFF

PART NO.	COLOUR	MATES WITH TAB SIZE	PKT QTY
KTPT01	RED	6.3MM	100
KTPT02	BLUE	6.3MM	100
KTPT05	YELLOW	6.3MM	100



NOTE: Power take off terminals mate with male 6.3mm tabs for connecting into existing wiring

SCOTCH LOCKS

PART NO.	COLOUR	WIRE SIZE MM	PKT QTY
KTSL1	RED	0.5 - 1.5	100
KTSL2	BLUE	1.5 - 2.5	100
KTSL5	YELLOW	2.5 - 5.0	100



TERMINALS UN-INSULATED

UN-INSULATED RING

PART NO.	WIRE SIZE MM	STUD SIZE MM	PKT QTY
KTUR1-3.2	0.5 - 1.5	3.2	100
KTUR1-3.5	0.5 - 1.5	3.7	100
KTUR1-4	0.5 - 1.5	4.2	100
KTUR1-5	0.5 - 1.5	5.3	100
KTUR1-6	0.5 - 1.5	6.4	100
KTUR1-8	0.5 - 1.5	8.5	100
KTUR2-3	2.5 - 4.0	3.2	100
KTUR2-4	2.5 - 4.0	4.2	100
KTUR2-5	2.5 - 4.0	5.3	100
KTUR2-6	2.5 - 4.0	6.4	100
KTUR2-8	2.5 - 4.0	8.5	100
KTUR5-4	4.0 - 6.0	4.2	100
KTUR5-5	4.0 - 6.0	5.3	100
KTUR5-6	4.0 - 6.0	6.4	100
KTUR5-8	4.0 - 6.0	8.5	100
KTUR5-10	4.0 - 6.0	10.5	100



NOTE: KTUCT crimper is used for crimping un-insulated terminals

UN-INSULATED FEMALE

PART NO.	LENGTH MM	TAB SIZE MM	MATERIAL	PKT QTY
KTUQFM63	19.1	7.6	NICKEL PLATED	100

KTUQFMSLEEVE available to suit the KTUQFM63
NB: FOR QK SERIES TERMINALS see pg 91

UN-INSULATED MALE

PART NO.	LENGTH MM	TAB SIZE MM	MATERIAL	PKT QTY
KTUQM63	20.2	6.3	NICKEL PLATED	100

KTUBMSLEEVE available to suit the KTUQM63

UN-INSULATED BULLET MALE

PART NO.	LENGTH MM	TAB SIZE MM	MATERIAL	PKT QTY
KTUBM	17.5	9.1	BRASS	100

KTUBMSLEEVE available to suit the KTUBM

UN-INSULATED BULLET FEMALE

PART NO.	LENGTH MM	TAB SIZE MM	MATERIAL	PKT QTY
KTUBFM	17.3	6.0	BRASS	100

KTUBFMSLEEVE available to suit the KTUBFM

TERMINALS UN-INSULATED



FLAG TERMINALS

PART NO.	DESCRIPTION	PKT QTY
KTFLAG6.3	UN-INSULATED FLAG	100
KTFLAGSLEEVE	FLAG INSULATOR	100
KTFLAG6.3R	FULLY INSULATED RED	100
KTFLAG6.3B	FULLY INSULATED BLUE	100

NOTE: Flag Terminals are available fully insulated in red & blue.
Crimp with KTFC crimper

BOOTLACE (FERRULES)

PART NO.	WIRE SIZE MM	COLOUR	PKT QTY
KTBL0.35	0.25 - 0.34	PINK	100
KTBL0.5	0.5	WHITE	100
KTBL0.5L	0.5	WHITE	100
KTBL0.75	0.75	BLUE	100
KTBL0.75L	0.75	BLUE	100
KTBL1.0	1.0	RED	100
KTBL1.0L	1.0	RED	100
KTBL1.5	1.5	BLACK	100
KTBL1.5L	1.5	BLACK	100
KTBL2.5	2.5	GREY	100
KTBL2.5L	2.5	GREY	100
KTBL4.0	4.0	ORANGE	100
KTBL4.0L	4.0	ORANGE	100
KTBL6.0	6.0	GREEN	100
KTBL10.0	10.0	BROWN	100
KTBL10.0L	10.0	BROWN	100
KTBL16.0	16.0	WHITE	100
KTBL16.0L	16.0	WHITE	100
KTBL25.0	25.0	BLACK	100
KTBL25.0L	25.0	BLACK	100
KTBL35.0	35.0	RED	100
KTBL35.0L	35.0	RED	100
KTBL50	50.0	BLUE	100



TWIN END SLEEVE (BOOTLACE) FERRULES



PART NO.	WIRE SIZE MM	COLOUR	PKT QTY
KTBL0.75D	2 X 0.75	GREY	100
KTBL1.0D	2 X 1.0	RED	100
KTBL1.5D	2 X 1.5	BLACK	100
KTBL2.5D	2 X 2.5	BLUE	100
KTBL4.0D	2 X 4.0	GREY	100
KTBL6.0D	2 X 6.0	YELLOW	100

NOTE: Designed for two wires to be inserted and crimped

TERMINALS HEAVY DUTY CONNECTORS

WEATHER PACKS


PART NO.	NO. OF CIRCUITS	TYPE	PKT QTY
KT1WP	1	INLINE	1
KT2WP	2	INLINE	1
KT3WP	3	INLINE	1
KT4WP	4	INLINE	1
KT4WPS	4	SQUARE	1
KT5WP	5	INLINE	1
KT6WP	6	INLINE	1



NOTE: Weather packs are designed for all weather environments and can be submersed in water. Sold individually or in complete packs

SCREW CONNECTOR STRIPS

PART NO.	WIRE SIZE MM ²	AMP	VOLT	LENGTH MM	WIDTH MM	HEIGHT MM	PKT QTY
KTSC01	1.5	6	400V	95.80	16.3	13.3	1
KTSC02	2.5	10	400V	117.50	20.2	15.8	1
KTSC22	6	35	600V	140.50	23.8	19.8	1
KTSC42	10	50	600V	158.00	25.6	25.4	1



SCREW CONNECTOR (BP CONNECTORS)

PART NO.	DESCRIPTION	CABLE DIMENSION	PKT QTY
KTSC1S	SINGLE SCREW CONNECTOR	2X6MM	100
KTSC2D	DOUBLE SCREW CONNECTOR	3X6MM	50



QUICK CONNECTOR STRIPS

PART NO.	POLES	SUIT TAB MM	PKT QTY
KTQCS2/1	2 INTO 1	6.3	10

PART NO.	POLES	SUIT TAB MM	PKT QTY
KTQCS12	12	6.3	10



HEAVY DUTY CONNECTORS

PART NO.	WIRE RANGE MM ²	AMP RATE	PKT QTY
KTHDC50	5.46	50	1
KTHDC175	10.74	175	1
KTHDC350	12.90	350	1



TERMINALS HEAVY DUTY CONNECTORS

LED HEAVY DUTY CONNECTORS



PART NO.	WIRE RANGE MM ²	CONTAINS	AMP RATE	PKT QTY
KT70021	7.92MM ²	5 X HOUSING, 10 X TERMINALS	50A	5
KT70021/S	7.92MM ²	1 X HOUSING, 2 X TERMINALS (BLISTER)	50A	1

HEAVY DUTY CONNECTOR COVERS

PART NO.	DESCRIPTION	PKT QTY
KT70050	50 AMP HEAVY DUTY CONNECTOR COVER	1
KT70052	175 AMP HEAVY DUTY CONNECTOR COVER	1



12 VOLT ACCESSORY PLUG AND SOCKETS



PART NO.	DESCRIPTION	PKT QTY
KT70001	ACCESSORY SOCKET 12V 15A	10
KT70001/S	ACCESSORY SOCKET 12V 15A (BLISTER)	1

Note: Fitted with thermoplastic lid, Separate power and earth terminals

PART NO.	DESCRIPTION	PKT QTY
KT70002	ACCESSORY PLUG 12V 15A	10
KT70002/S	ACCESSORY PLUG 12V 15A (BLISTER)	1

Note: Thermoplastic accessory plug with two screw terminals



PART NO.	DESCRIPTION	PKT QTY
KT7004	ACCESSORY SOCKET 12V 15A (TO SUIT CIG. LIGHTER SIZE PLUGS)	1

WEATHERPROOF HARNESS CONNECTOR

PART NO.	DESCRIPTION	PKT QTY
KT70010	2 WAY WEATHERPROOF HARNESS CONNECTOR 16A	10
KT70010/S	2 WAY WEATHERPROOF HARNESS CONNECTOR 16A (BLISTER)	1
KT70011	3 WAY WEATHERPROOF HARNESS CONNECTOR 16A	10
KT70011/S	3 WAY WEATHERPROOF HARNESS CONNECTOR 16A (BLISTER)	1
KT70012	4 WAY WEATHERPROOF HARNESS CONNECTOR 16A	10
KT70012/S	4 WAY WEATHERPROOF HARNESS CONNECTOR 16A (BLISTER)	1



TERMINALS

AUTOMOTIVE CABLE BATTERY ACC

TAPE

TRAILER PLUGS

SWITCHES

SUPPORTS

FUSE HOLDERS

HEAT SHRINK

TERMINALS LOW VOLTAGE PLUGS

The KT low voltage plug range is perfect for the growing leisure boating, caravanning or camping market. Transparent and square shaped for easy and safe installation these are the ideal solution for your low voltage power supply needs. The plugs are available as 12-32V 15A, Extra Low Voltage for PVC Cord Extension Sockets featuring External Cord Grip.

PART NO.	DESCRIPTION
KTLVS1	LOW VOLTAGE PANEL MOUNT SOCKET 32V 15A
KTLVS2	LOW VOLTAGE EXTENSION SOCKET 32V 15A
KTLVP1	LOW VOLTAGE EXTENSION PLUG 32V 15A



TERMINALS HOUSING CONNECTORS

QK SERIES



KTHC1ML



KTHC1FL



KTHC2M



KTHC2F



KTHC2ML



KTHC2FL



KTHC3ML



KTHC3FL



KTHC4ML



KTHC4FL



KTHC6ML



KTHC6FL



KTHC8ML




KTHC8FL

NOTE: QK Series are also known as 250 Series connectors. Also available in black or white.

TERMINALS HOUSING CONNECTORS

QK SERIES TERMINALS



KTUQM63L

PKT QTY: 100
WIRE RANGE: 0.8 - 1.5mm²
MATERIAL: BRASS (TIN FINISH)



KTUQFM63L

PKT QTY: 100
WIRE RANGE: 0.8 - 1.5mm²
MATERIAL: BRASS (TIN FINISH)



KTUQFM63L-2


PKT QTY: 100
WIRE RANGE: 0.8 - 1.5mm²
MATERIAL: BRASS (TIN FINISH)

QK SERIES TERMINALS (Large Wire Entry)



KTUQM63LX

PKT QTY: 100
WIRE RANGE: 1.5 - 3.0mm²
MATERIAL: BRASS (TIN FINISH)



KTUQFM63LX

PKT QTY: 100
WIRE RANGE: 1.5 - 3.0mm²
MATERIAL: BRASS (TIN FINISH)

QK SERIES TERMINALS (COMPLETE KITS)



KTHC1

HOUSING CONNECTOR 1
PIN COMPLETE KIT



KTHC2

HOUSING CONNECTOR 2
PIN COMPLETE KIT



KTHC3

HOUSING CONNECTOR 3
PIN COMPLETE KIT

TERMINALS

AUTOMOTIVE CABLE BATTERY ACC

TAPE

TRAILER PLUGS

SWITCHES

SUPPORTS

FUSE & FUSE HOLDERS

HEAT SINK

TERMINALS HOUSING CONNECTORS

QK SERIES TERMINALS (COMPLETE KITS)



KTHC4

**HOUSING CONNECTOR 4
PIN COMPLETE KIT**



KTHC6

**HOUSING CONNECTOR 6
PIN COMPLETE KIT**



KTHC8

**HOUSING CONNECTOR 8
PIN COMPLETE KIT**



KTQL1

PKT QTY: 100
WIRE RANGE: 3.0MM² - 6.0MM
MATERIAL: BRASS (TIN FINISH)



KTQL2

PKT QTY: 100
WIRE RANGE: 3.0MM² - 6.0MM
MATERIAL: BRASS (TIN FINISH)

QL SERIES



KTQL1M
PKT QTY: 10



KTQL1F
PKT QTY: 10



KTQL2M
PKT QTY: 10




KTQL2F
PKT QTY: 10

NOTE: QL Series connectors are known as 312 Series connectors
Male terminals suit (M) type terminals
Female terminals suit (F) type terminals

QL SERIES TERMINALS



KTUQM94L



KTUQFM94

WATERPROOF TERMINALS

TERMINALS


BATTERY ACCU
AUTOMOTIVE CABLE
TAPE
TRAILER PLUGS
SWITCHES
HEAT SHRINK
SUPPORTS
FUSE & FUSE HOLDERS

WATERPROOF RING

PART NO.	COLOUR	STUD SIZE MM	PKT QTY
KTWPR1-3.5	RED	3.7	100
KTWPR1-4	RED	4.2	100
KTWPR1-5	RED	5.3	100
KTWPR1-6	RED	6.4	100
KTWPR2-3.5	BLUE	3.7	100
KTWPR2-4	BLUE	4.2	100
KTWPR2-5	BLUE	5.3	100
KTWPR2-6	BLUE	6.4	100
KTWPR2-8	BLUE	8.5	100
KTWPR2-10	BLUE	10.5	100
KTWPR5-4	YELLOW	4.2	100
KTWPR5-6	YELLOW	6.4	100
KTWPR5-8	YELLOW	8.5	100
KTWPR5-10	YELLOW	10.5	100



NOTE: Once the terminal is crimped heating the insulation shrinks the heat shrink waterproofing the terminal connection




WATERPROOF FORK

PART NO.	COLOUR	STUD SIZE MM	PKT QTY
KTWPF1-3.5	RED	3.7	100
KTWPF1-4	RED	4.2	100
KTWPF1-5	RED	5.3	100
KTWPF2-3.5	BLUE	3.7	100
KTWPF2-4	BLUE	4.2	100
KTWPF2-5	BLUE	5.3	100
KTWPF5-4	YELLOW	4.2	100
KTWPF5-5	YELLOW	5.3	100
KTWPF5-6	YELLOW	6.4	100

WATERPROOF MALE

PART NO.	COLOUR	TAB WIDTH MM	PKT QTY
KTWPM1-6	RED	6.3	100
KTWPM2-6	BLUE	6.3	100
KTWPM5-6	YELLOW	6.3	100



WATERPROOF TERMINALS

WATERPROOF FEMALE

PART NO.	COLOUR	TAB WIDTH MM	PKT QTY
KTWPFF1-6	RED	6.3	100
KTWPFF2-6	BLUE	6.3	100
KTWPFF5-6	YELLOW	6.3	100



WATERPROOF BULLET MALE

PART NO.	COLOUR	PKT QTY
KTWPBM2-5	BLUE	100
KTWPBM1-4	RED	100



WATERPROOF BULLET FEMALE

PART NO.	COLOUR	PKT QTY
KTWPBFM2-5	BLUE	100
KTWPBFM1-4	RED	100



WATERPROOF BUTT SPLICES

PART NO.	COLOUR	WIRE SIZE MM	PKT QTY
KTWPRBS	RED	0.5 - 1.5	100
KTWPBBS	BLUE	1.5 - 2.5	100
KTWPYBS	YELLOW	2.5 - 6.0	100



WATERPROOF SOLDER JOINERS

PART NO.	COLOUR	WIRE SIZE MM	PKT QTY
KT21500S	WHITE	0.5 - 1.6MM	5
KT21500	WHITE	0.5 - 1.6MM	100
KT21501S	RED	1.6 - 2.7MM	5
KT21501	RED	1.6 - 2.7MM	100
KT21502S	BLUE	2.7 - 4.4MM	5
KT21502	BLUE	2.7 - 4.4MM	100
KT21503S	YELLOW	4.4 - 6.9MM	5
KT21503	YELLOW	4.4 - 6.9MM	100

